

SDS conforms with EU Regulation: "REACH Commission Regulation (EU) No 2020/878 (which amends (EC) No 2015/830, 453/2010 & 1907/2006)" and UK Regulation: "SI 2020 No. 1577 - The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020".



## SAFETY DATA SHEET BEERLINE

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name	BEERLINE
Product number	A005 EV
Internal identification	Professional Hygiene
UFI	UFI: T1YM-MGN5-M102-DNRD

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Alkaline & Chlorine based Beer pipeline Cleaner.
-----------------	--

#### 1.3. Details of the supplier of the safety data sheet

Supplier	UK Supplier: Evans Vanodine International plc, Brierley Road, Walton Summit, Preston, PR5 8AH, UK. Tel: 01772 322 200. e-mail: productcompliance@evansvanodine.co.uk	EU Supplier: Evans Vanodine Europe (FR), 3 Boulevard de Belfort, 1st Floor, Lille, 59000, France. Tel: +33 (0)3 76 04 21 87.
----------	--	--

#### 1.4. Emergency telephone number

Emergency telephone	New Safety Data Sheets - 01772 322 200 - Mon to Thurs 8.30am to 4.30pm - Fri 8.30am to 1.30pm (Also available 24/7 from our website <a href="http://www.evansvanodine.co.uk">www.evansvanodine.co.uk</a> ) For Technical Advice about this SDS - 01772 318 818 - Mon to Thurs 8.00am to 5.30pm
National emergency Telephone number	For Health Care Professionals only For use in UK: Contact the National Poisons Information Service for further advice. For use in the Republic of Ireland: To report a poisoning incident contact The National Poisons Information Centre, Beaumont Hospital, Dublin (01-8092166 – 8am to 10pm every day). For use in Malta: Emergency services (Ambulance, Fire and Rescue, Police) : 112

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture Classification (EU: 1272/2008 & UK: SI 2020/1567 which amends SI 2019 No. 720)

Physical hazards	Not Classified
Health hazards	Skin Corr. 1B - H314 Eye Dam. 1 - H318
Environmental hazards	Aquatic Acute 1 - H400 Aquatic Chronic 2 - H411

#### 2.2. Label elements

##### Hazard pictograms



Signal word	Danger
-------------	--------

## BEERLINE

Hazard statements	H314 Causes severe skin burns and eye damage. H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects.
Precautionary statements	P102 Keep out of reach of children. Do not mix with other products especially acidic products. P260 Do not breathe mist. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P235+P410 Keep cool. Protect from sunlight. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P315 Get immediate medical advice/ attention. P501 Dispose of contents/ container in accordance with local regulations.
Supplemental label information	EUH031 Contact with acids liberates toxic gas.
Contains	SODIUM HYDROXIDE, SODIUM HYPOCHLORITE SOLUTION, ... % CI ACTIVE

### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB. Including - Endocrine disrupting properties: None known.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

<b>SODIUM HYDROXIDE</b> <span style="float: right;">3-5%</span> CAS number: 1310-73-2                      EC number: 215-185-5 Spec Conc Limits :- Skin Corr. 1A (H314) >= 5 %, Skin Corr. 1B (H314) >=2% <5 %, Skin Irrit. 2 (H315) >=0.5%<2%, Eye Irrit. 2 (H319) >=0.5% <2%
Classification Met. Corr. 1 - H290 Skin Corr. 1A - H314 Eye Dam. 1 - H318
<b>SODIUM HYPOCHLORITE SOLUTION, ... % CI ACTIVE</b> <span style="float: right;">1-3%</span> CAS number: 7681-52-9                      EC number: 231-668-3 M factor (Acute) = 10                      M factor (Chronic) = 1 Spec Conc Limits :- EUH031: ≥ 5%
Classification Met. Corr. 1 - H290 Skin Corr. 1B - H314 Eye Dam. 1 - H318 STOT SE 3 - H335 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

The Full Text for all Hazard Statements are Displayed in Section 16.

## BEERLINE

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

Inhalation	Unlikely route of exposure as the product does not contain volatile substances. If spray/mist has been inhaled, proceed as follows. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.
Ingestion	Do not induce vomiting. Rinse mouth thoroughly with water. Give plenty of water to drink. Get medical attention immediately.
Skin contact	Wash with plenty of water. Get medical attention promptly if symptoms occur after washing.
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Get medical attention immediately. Continue to rinse.

#### 4.2. Most important symptoms and effects, both acute and delayed

General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	Irritation of nose, throat and airway.
Ingestion	May cause chemical burns in mouth and throat.
Skin contact	Burning pain and severe corrosive skin damage. May cause serious chemical burns to the skin.
Eye contact	Severe irritation, burning and tearing. Prolonged contact causes serious eye and tissue damage.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically.
----------------------	------------------------

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.
------------------------------	---

#### 5.2. Special hazards arising from the substance or mixture

Specific hazards	Thermal decomposition or combustion products may include the following substances: Irritating gases or vapours.
------------------	---

#### 5.3. Advice for firefighters

Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.
---	---

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Wear protective clothing, gloves, eye and face protection. For personal protection, see Section 8.
----------------------	--

#### 6.2. Environmental precautions

Environmental precautions	Dangerous for the environment. Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.
---------------------------	--

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up	Small Spillages: Flush away spillage with plenty of water. Large Spillages: Contain and absorb spillage with sand, earth or other non-combustible material. Collect and place in suitable waste disposal containers and seal securely.
-------------------------	--

#### 6.4. Reference to other sections

Reference to other sections	For personal protection, see Section 8.
-----------------------------	---

# BEERLINE

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Usage precautions                      Wear protective clothing, gloves, eye and face protection.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions                      Keep only in the original container in a cool, well-ventilated place. Protect from sunlight. Store away from the following materials: Acids.

### 7.3. Specific end use(s)

Specific end use(s)                      The identified uses for this product are detailed in Section 1.2.

Usage description                      See Product Information Sheet & Label for detailed use of this product.

## SECTION 8: Exposure controls/Personal protection

### 8.1. Control parameters Occupational exposure limits

#### SODIUM HYDROXIDE

Short-term exposure limit (15-minute): WEL 2 mg/m<sup>3</sup>  
WEL = Workplace Exposure Limit.

### 8.2. Exposure controls

Protective equipment



Appropriate engineering controls                      Not relevant.

Eye/face protection                      The following protection should be worn: Chemical splash goggles or face shield.

Hand protection                      Wear protective gloves. (Household rubber gloves.)

Other skin and body protection                      Wear suitable protective clothing as protection against splashing or contamination.

Respiratory protection                      Respiratory protection not required.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Appearance	Liquid.
Colour	Clear. Colourless.
Odour	Chlorine.
pH	pH (diluted solution): 12.30 @1:80
Melting point	-3°C
Initial boiling point and range	102°C @ 760 mm Hg
Flash point	Boils without flashing.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	Not applicable.

## BEERLINE

Vapour pressure	Not available.
Vapour density	Not available.
Relative density	1.120 @ 20°C
Solubility(ies)	Soluble in water.
Partition coefficient	Not applicable.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	Not applicable.
Viscosity	Not available.

### 9.2. Other information

Other information	None.
Particle size	Not applicable.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Reactivity	Generates toxic gas in contact with acid.
------------	---

### 10.2. Chemical stability

Stability	Inadequately vented containers may become pressurised.
-----------	--

### 10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	See sections 10.1, 10.4 & 10.5
------------------------------------	--------------------------------

### 10.4. Conditions to avoid

Conditions to avoid	Avoid exposure to high temperatures or direct sunlight.
---------------------	---

### 10.5. Incompatible materials

Materials to avoid	Strong acids. Aluminium, Tin, Zinc and their alloys.
--------------------	--

### 10.6. Hazardous decomposition products

Hazardous decomposition Toxic chlorine gas is released if product is mixed with acidic materials. When heated, products vapours/gases hazardous to health may be formed.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Toxicological effects	We have not carried out any animal testing for this product. Any ATE figures quoted below are from Toxicity Classifications that have been carried out using ATE (Acute Toxicity Estimate) Calculation Method using LD50 or ATE figures provided by the Raw Material Manufacturer.
-----------------------	--

#### Acute toxicity - oral

Summary	Not applicable.
---------	-----------------

#### Acute toxicity - dermal

Summary	Not applicable.
---------	-----------------

#### Acute toxicity – inhalation

Summary	Not applicable.
---------	-----------------

## BEERLINE

### Skin corrosion/irritation

Skin corrosion/irritation Causes severe burns.

### Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye damage.

### Respiratory sensitisation

Summary Not applicable.

### Skin sensitisation

Summary Not applicable.

### Germ cell mutagenicity

Summary Not applicable.

### Carcinogenicity

Summary Not applicable.

### Reproductive toxicity

Summary Not applicable.

### Specific target organ toxicity - single exposure

Summary Not applicable.

### Specific target organ toxicity - repeated exposure

Summary Not applicable.

### Aspiration hazard

Summary Not applicable.

11.2. Information on other Hazards None known.

11.2.1 Endocrine disrupting properties None known.

## SECTION 12: Ecological information

Ecotoxicity Dangerous for the environment. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects. Another potential hazard is from the alkalinity of the product.

### 12.1. Toxicity

Toxicity We have not carried out any Aquatic testing, therefore we have no Aquatic Toxicity Data specifically for this product. The Aquatic Toxicity Data, where provided by the raw material manufacturer for ingredients with aquatic toxicity, can be made available on request. Very toxic to aquatic organisms.

### 12.2. Persistence and degradability

Persistence and degradability Sequestrant is readily degraded during biological effluent treatment processes.

### 12.3. Bioaccumulative potential

Bioaccumulative potential The product does not contain any substances expected to be bioaccumulating.

Partition coefficient Not applicable.

### 12.4. Mobility in soil

Mobility Not known.

### 12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Endocrine disrupting properties None known.

### 12.7. Other adverse effects

Other adverse effects None known.

## BEERLINE

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Disposal methods                      Discharge used solutions to drain. Small amounts (less than 5 Litres) of unwanted product may be flushed with water to sewer. Larger volumes must be sent for disposal as special waste. Rinse out empty container with water and consign to normal waste.

### SECTION 14: Transport information

#### 14.1. UN number

UN No. (ADR/RID)                      1719

UN No. (IMDG)                          1719

UN No. (ICAO)                          1719

#### 14.2. UN proper shipping name

Proper shipping name (ADR/RID) CAUSTIC ALKALI LIQUID, N.O.S. (sodium hydroxide solution and hypochlorite solution)

Proper shipping name (IMDG)      CAUSTIC ALKALI LIQUID, N.O.S. (sodium hydroxide solution and hypochlorite solution)

Proper shipping name (ICAO)      CAUSTIC ALKALI LIQUID, N.O.S. (sodium hydroxide solution and hypochlorite solution)

#### 14.3. Transport hazard class(es)

ADR/RID class                          Class 8: Corrosive substances.

ADR/RID label                          8

IMDG class                              Class 8: Corrosive substances.

ICAO class/division                  Class 8: Corrosive substances.

#### Transport labels



#### 14.4. Packing group

ADR/RID packing group              II

IMDG packing group                  II

ICAO packing group                  II

#### 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant



#### 14.6. Special precautions for user

EmS    F-A, S-B

Tunnel restriction code              (E)

#### 14.7. Maritime transport in bulk according to IMO instruments

Transport in bulk according to Annex II of MARPOL And the IBC Code              Not relevant for a packaged product.

## BEERLINE

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Legislation	<p>Safety Data Sheet prepared in accordance with EU Regulation: "REACH Commission Regulation (EU) No 2020/878 (which amends Regulation (EC) No 2015/830, 453/2010 &amp; 1907/2006)," and UK Regulation: "SI 2020 No. 1577 - The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020.".</p> <p>The product is as classified under - EU GHS: CLP - "Regulation (EC) No 1272/2008 classification, labelling &amp; packaging of substances &amp; mixtures." and UK GHS: "SI 2020 No. 1567 - The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2020." ." (which amends SI 2019 No.720).</p> <p>Ingredients are listed with classification under - EU GHS: CLP - "Regulation (EC) No 1272/2008 classification, labelling &amp; packaging of substances &amp; mixtures." and UK GHS: "SI 2020 No. 1567 - The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2020." ." (which amends SI 2019 No.720).</p>
-------------	---

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out as not applicable as this product is a mixture.

### SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	<p>PBT: Persistent, Bioaccumulative and Toxic substance.</p> <p>vPvB: Very Persistent and Very Bioaccumulative.</p> <p>ATE: Acute Toxicity Estimate.</p> <p>ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.</p> <p>IMDG: International Maritime Dangerous Goods.</p> <p>ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air.</p> <p>REACH: The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577.</p> <p>GHS: Globally Harmonized System.</p> <p>Spec Conc Limits = Specific Concentration Limits.</p>
Classification abbreviations and acronyms	<p>Aquatic Acute = Hazardous to the aquatic environment (acute)</p> <p>Aquatic Chronic = Hazardous to the aquatic environment (chronic)</p> <p>Eye Dam. = Serious eye damage</p> <p>Eye Irrit. = Eye irritation</p> <p>Met. Corr. = Corrosive to metals</p> <p>Skin Corr. = Skin corrosion</p> <p>Skin Irrit. = Skin irritation</p>
Key literature references and sources for data	<p>Material Safety Data Sheet, Miscellaneous manufacturers. CLP Class - Table 3.1 List of harmonised classification and labelling of hazardous substances. ECHA - C&amp;L Inventory database.</p>
Classification procedures	<p>Calculation Method.</p>
Revision comments	<p>New Evans Logo &amp; EU Address - No change in Product Classification. (Changes made to sections 1+16)</p>
Revision date	<p>01/10/2024</p>
Revision	<p>11</p>

The Hazard Statements listed below in this Section No 16 relate to the Raw Materials (Ingredients) in the Product (as listed in Section 3) and NOT the product itself. For the Hazard Statements relating to this Product see Section 2.



## BEERLINE

### Hazard statements in full

H290 May be corrosive to metals.  
H314 Causes severe skin burns and eye damage.  
H318 Causes serious eye damage.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.  
H411 Toxic to aquatic life with long lasting effects.