

# Safety Data Sheet

According to Regulation (EC) No 1907/2006

# Surf Professional Tropical

Revision: 2021-04-04

Version: 13.1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

**Trade name:** Surf Professional Tropical Surf is a registered trade mark and is used under licence of Unilever

UFI: E9M5-70QW-C00H-HDDR

# 1.2 Relevant identified uses of the substance or mixture and uses advised against Product use: Laundry detergent. Uses advised against: Uses other than those identified are not recommended.

SWED - Sector-specific worker exposure description :

AISE\_SWED\_PW\_8a\_2 PC35-Washing and cleaning products AISE\_SWED\_PW\_4\_1 AISE\_SWED\_PW\_19\_1 PC35-Washing and cleaning products

#### 1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, Maarssenbroeksedijk 2, 3542DN Utrecht, The Netherlands

#### **Contact details**

Diversey Ltd Weston Favell Centre, Northampton NN3 8PD, United Kingdom Tel: 01604 405311, Fax: 01604 406809 Regulatory Email: customerservice.uk@diversey.com

#### 1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible) For medical or environmental emergency only: call 0800 052 0185

# **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Eye Irrit. 2 (H319)

2.2 Label elements



Signal word: Warning.

Hazard statements: H319 - Causes serious eye irritation.

#### **Precautionary statements:**

P101 - If medical advice is needed, have product container or label at hand. P102 - Keep out of reach of children.

#### 2.3 Other hazards

No other hazards known.

# SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
sodium carbonate	207-838-8	497-19-8	01-2119485498-19	Eye Irrit. 2 (H319)		50-75
sodium alkylbenzenesulphonate	270-115-0	68411-30-3	01-2119489428-22	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Aquatic Chronic 3 (H412)		10-20
sodium silicate	215-687-4	1344-09-8	01-2119448725-31	STOT SE 3 (H335) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319)		3-10
Limestone	215-279-6	1317-65-3	[2]	Not classified as hazardous		3-10
Alcohols, C12-15, ethoxylated	[4]	68131-39-5	[4]	Acute Tox. 4 (H302) Eye Dam. 1 (H318) Aquatic Acute 1 (H400) Aquatic Chronic 3 (H412)		0.1-1

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

[12] nanoform.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16...

# SECTION 4: First aid measures

4.1 Description of first aid measures	
Inhalation:	Get medical attention or advice if you feel unwell.
Skin contact:	Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice or attention.
Eye contact:	Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation occurs and persists, get medical attention.
Ingestion:	Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Get medical attention or advice if you feel unwell.
Self-protection of first aider:	Consider personal protective equipment as indicated in subsection 8.2.
4.2 Most important symptoms and ef	fects, both acute and delayed
Inhalation:	No known effects or symptoms in normal use.
Oldin agentagti	

# Skin contact:No known effects or symptoms in normal use.Eye contact:Causes severe irritation.Ingestion:No known effects or symptoms in normal use.

**4.3 Indication of any immediate medical attention and special treatment needed** No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

# SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

#### 5.2 Special hazards arising from the substance or mixture

No special hazards known.

#### 5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

# **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

No special measures required.

#### 6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water.

#### 6.3 Methods and material for containment and cleaning up

Collect mechanically. Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

#### 6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

#### Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

#### Advices on general occupational hygiene:

Follow general hygiene considerations recognised as common good workplace practices. Keep away from food, drink and animal feeding stuffs. Keep out of reach of children. Do not mix with other products unless adviced by Diversey. Avoid contact with eyes. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. Keep out of reach of children.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

#### 7.3 Specific end use(s)

No specific advice for end use available.

# SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters Workplace exposure limits

Air limit values, if available:

Ingredient(s)	UK - Long term value(s)	UK - Short term value(s)
Limestone	10 mg/m <sup>3</sup> inhalable	30 mg/m <sup>3</sup> inhalable
	dust	dust
	4 mg/m <sup>3</sup> respirable dust	12 mg/m <sup>3</sup> respirable
		dust

Biological limit values, if available:

#### Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

# DNEL/DMEL and PNEC values

# Human exposure

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium carbonate	-	-	-	-
sodium alkylbenzenesulphonate	-	-	-	0.425
sodium silicate	-	-	-	0.8
Limestone	No data available	No data available	No data available	No data available
Alcohols, C12-15, ethoxylated	No data available	No data available	No data available	No data available

DNEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
sodium carbonate	-	-	No data available	-
sodium alkylbenzenesulphonate	-	-	-	119
sodium silicate	No data available	-	No data available	1.59
Limestone	No data available	No data available	No data available	No data available
Alcohols, C12-15, ethoxylated	No data available	No data available	No data available	No data available

DNEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
sodium carbonate	No data available	-	No data available	-
sodium alkylbenzenesulphonate	-	-	-	42.5

sodium silicate	No data available	-	No data available	0.8
Limestone	No data available	No data available	No data available	No data available
Alcohols, C12-15, ethoxylated	No data available	No data available	No data available	No data available

DNEL inhalatory exposure - Worker (mg/m<sup>3</sup>)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium carbonate	-	-	10	-
sodium alkylbenzenesulphonate	-	-	-	6
sodium silicate	-	-	-	5.61
Limestone	No data available	No data available	No data available	No data available
Alcohols, C12-15, ethoxylated	No data available	No data available	No data available	No data available

DNEL inhalatory exposure - Consumer (mg/m<sup>3</sup>)

Ingredient(s)		Short term - Systemic		Long term - Systemic
	effects	effects	effects	effects
sodium carbonate	10	-	-	-
sodium alkylbenzenesulphonate	-	-	-	1.5
sodium silicate	-	-	-	1.38
Limestone	No data available	No data available	No data available	No data available
Alcohols, C12-15, ethoxylated	No data available	No data available	No data available	No data available

# Environmental exposure

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
sodium carbonate	-	-	-	-
sodium alkylbenzenesulphonate	0.268	0.0268	0.0167	3.43
sodium silicate	7.5	1	7.5	348
Limestone	No data available	No data available	No data available	No data available
Alcohols, C12-15, ethoxylated	No data available	No data available	No data available	No data available

#### Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m³)
sodium carbonate	-	-	-	-
sodium alkylbenzenesulphonate	8.1	6.8	35	-
sodium silicate	-	-	-	-
Limestone	No data available	No data available	No data available	No data available
Alcohols, C12-15, ethoxylated	No data available	No data available	No data available	No data available

#### 8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the <u>undiluted</u> product:

Appropriate engineering controls: No Appropriate organisational controls: Av

No special requirements under normal use conditions. Avoid direct contact and/or splashes where possible. Train personnel.

#### REACH use scenarios considered for the undiluted product:

	SWED - Sector-specific worker exposure description	LCS	PROC	Duration (min)	ERC
PC35-Washing and cleaning products	PC35-Washing and cleaning products	С	-	-	ERC8a
Manual transfer and dilution	AISE_SWED_PW_8a_2	PW	PROC 8a	60	ERC8a

Personal protective equipment Eye / face protection: Hand protection:

Body protection: Respiratory protection: No special requirements under normal use conditions. No special requirements under normal use conditions. No special requirements under normal use conditions. No special requirements under normal use conditions.

Environmental exposure controls:

No special requirements under normal use conditions.

Recommended safety measures for handling the <u>diluted</u> product:

#### Recommended maximum concentration (% w/w): 1.4

Appropriate engineering controls: Appropriate organisational controls: No special requirements under normal use conditions. No special requirements under normal use conditions.

#### REACH use scenarios considered for the diluted product:

	SWED	LCS	PROC	Duration	ERC
				(min)	
PC35-Washing and cleaning products	PC35-Washing and	С	-	-	ERC8a
	cleaning products				
Manual application	AISE_SWED_PW_19_1	PW	PROC 19	480	ERC8a
Automatic application in a dedicated system	AISE_SWED_PW_4_1	PW	PROC 4	480	ERC8a

Personal protective equipment

Eye / face protection: Hand protection: Body protection: Respiratory protection: No special requirements under normal use conditions. No special requirements under normal use conditions. No special requirements under normal use conditions. No special requirements under normal use conditions.

**Environmental exposure controls:** 

No special requirements under normal use conditions.

# **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties Information in this section refers to the product, unless it is specifically stated that substance data is listed

Method / remark

Physical State: Solid Colour: Speckles, White Odour: Product specific Odour threshold: Not applicable Melting point/freezing point (°C): Not determined Initial boiling point and boiling range (°C): Not determined

Not relevant to classification of this product Not applicable to solids or gases

Substance data, boiling point			
Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
sodium carbonate	1600	Method not given	1013
sodium alkylbenzenesulphonate	No data available		
sodium silicate	> 100	Method not given	
Limestone	No data available		
Alcohols, C12-15, ethoxylated	No data available		

Method / remark

Method / remark

Flammability (solid, gas): Not determined
Flammability (liquid): Not applicable.
Flash point (°C): Not applicable.
Sustained combustion: Not applicable.
(UN Manual of Tests and Criteria, section 32, L.2)

Lower and upper explosion limit/flammability limit (%): Not determined

Substance data, flammability or explosive limits, if available:

Autoignition temperature: Not determined Decomposition temperature: Not applicable. pH: Not applicable Dilution pH: ≈ 11 (1.4 %) Kinematic viscosity: Not determined Solubility in / Miscibility with Water: Soluble

ISO 4316 Not applicable to solids or gases

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
sodium carbonate	210-215	Method not given	20
sodium alkylbenzenesulphonate	> 250		
sodium silicate	Soluble	Method not given	20
Limestone	No data available		
Alcohols, C12-15, ethoxylated	No data available		

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

#### Vapour pressure: Not determined

#### Method / remark

See substance data

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
sodium carbonate	Negligible		
sodium alkylbenzenesulphonate	No data available		
sodium silicate	No data available		
Limestone	No data available		
Alcohols, C12-15, ethoxylated	No data available		

# Method / remark

OECD 109 (EU A.3) Not applicable to solids Not relevant to classification of this product.

Not applicable to solids or gases

#### 9.2.2 Other safety characteristics

Relative density: ≈ 0.64 (20 °C)

9.2 Other information

Relative vapour density: No data available.

Particle characteristics: Not determined.

No other relevant information available.

Explosive properties:Not explosive.Oxidising properties:Not oxidising.Corrosion to metals:Not determined

# **SECTION 10: Stability and reactivity**

9.2.1 Information with regard to physical hazard classes

#### 10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

#### 10.2 Chemical stability

Stable under normal storage and use conditions.

#### 10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

#### 10.4 Conditions to avoid

None known under normal storage and use conditions.

#### 10.5 Incompatible materials

None known under normal use conditions.

#### 10.6 Hazardous decomposition products

None known under normal storage and use conditions.

# **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Mixture data:.

# Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

Skin irri	tation and corrosivity		
Result:	Not corrosive or irritant	Method:	Weight of evidence
Eye irrit	ation and corrosivity		
Result:	Eye irritant 2	Method:	Weight of evidence

Substance data, where relevant and available, are listed below:.

#### Acute toxicity Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
sodium carbonate	LD 50	2800	Rat	OECD 401 (EU B.1)		12000

### **Surf Professional Tropical**

sodium alkylbenzenesulphonate	LD 50	1080	Rat	OECD 401 (EU B.1)	15000
sodium silicate	LD 50	3400	Rat	Method not given	Not established
Limestone	LD 50	> 5000	Rat	Method not given	Not established
Alcohols, C12-15, ethoxylated	LD 50	>300 - <=2000	Rat	Method not given	130000

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
sodium carbonate	LD 50	> 2000	Rabbit	Method not given		Not established
sodium alkylbenzenesulphonate	LD 50	> 2000	Rat	OECD 402 (EU B.3)		Not established
sodium silicate	LD 50	> 5000	Rat	Method not given		Not established
Limestone		No data available				Not established
Alcohols, C12-15, ethoxylated	LD 50	>300 - <=2000	Rabbit	Method not given		Not established

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium carbonate	LC 50	> 2.3 (dust)		Weight of evidence	2
sodium alkylbenzenesulphonate		No data available			
sodium silicate	LC 50	> 2.06	Rat	Method not given	
Limestone		No data available			
Alcohols, C12-15, ethoxylated		No data available			

# Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust	ATE - inhalation, mist	ATE - inhalation,	ATE - inhalation, gas
	(mg/l)	(mg/l)	vapour (mg/l)	(mg/l)
sodium carbonate	Not established	Not established	Not established	Not established
sodium alkylbenzenesulphonate	Not established	Not established	Not established	Not established
sodium silicate	Not established	Not established	Not established	Not established
Limestone	Not established	Not established	Not established	Not established
Alcohols, C12-15, ethoxylated	Not established	Not established	Not established	Not established

# Irritation and corrosivity Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium carbonate	Not irritant	Rabbit	OECD 404 (EU B.4)	
sodium alkylbenzenesulphonate	Irritant	Rabbit	OECD 404 (EU B.4)	
sodium silicate	Irritant		Method not given	
Limestone	No data available			
Alcohols, C12-15, ethoxylated	Mild irritant			

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium carbonate	Irritant	Rabbit	OECD 405 (EU B.5)	
sodium alkylbenzenesulphonate	Corrosive	Rabbit	OECD 405 (EU B.5)	
sodium silicate	Irritant		Method not given	
Limestone	No data available			
Alcohols, C12-15, ethoxylated	Severe damage			

#### Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium carbonate	No data available			
sodium alkylbenzenesulphonate	Not irritating to respiratory tract			
sodium silicate	Irritating to respiratory tract		Method not given	
Limestone	No data available			
Alcohols, C12-15, ethoxylated	No data available			

#### Sensitisation

Ingredient(s)	Result	Species	Method	Exposure time (h)
sodium carbonate	Not sensitising		Method not given	
sodium alkylbenzenesulphonate	Not sensitising	Guinea pig	OECD 406 (EU B.6) /	

		GPMT	
sodium silicate	Not sensitising	Method not given	
Limestone	No data available		
Alcohols, C12-15, ethoxylated	No data available		

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
sodium carbonate	No data available			
sodium alkylbenzenesulphonate	No data available			
sodium silicate	No data available			
Limestone	No data available			
Alcohols, C12-15, ethoxylated	No data available			

# CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
sodium carbonate	No data available		No data available	
sodium alkylbenzenesulphonate	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13) OECD 476 OECD 473		
sodium silicate	No evidence for mutagenicity, negative test results		No data available	
Limestone	No data available		No data available	
Alcohols, C12-15, ethoxylated	No data available		No data available	

#### Carcinogenicity

Ingredient(s)	Effect
sodium carbonate	No evidence for carcinogenicity, weight-of-evidence
sodium alkylbenzenesulphonate	No data available
sodium silicate	No evidence for carcinogenicity, negative test results
Limestone	No data available
Alcohols, C12-15, ethoxylated	No data available

Toxicity for reproduction							
Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
sodium carbonate			No data available				
sodium alkylbenzenesulphonat e	NOAEL	Teratogenic effects	300	Rat	Non guideline test		No known significant effects or critical hazards
sodium silicate			No data available				No evidence for reproductive toxicity
Limestone			No data available				
Alcohols, C12-15, ethoxylated			No data available				

#### Repeated dose toxicity Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium carbonate		No data available				
sodium alkylbenzenesulphonate		No data available				
sodium silicate	NOAEL	> 159	Rat	Method not given		
Limestone		No data available				
Alcohols, C12-15, ethoxylated		No data available				

# Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Specific effects and organs
		(mg/kg bw/d)			time (days)	affected
sodium carbonate		No data				
		available				
sodium alkylbenzenesulphonate		No data				
		available				
sodium silicate		No data				
		available				

Limestone	No data available		
Alcohols, C12-15, ethoxylated	No data available		

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium carbonate		No data available				
sodium alkylbenzenesulphonate		No data available				
sodium silicate		No data available				
Limestone		No data available				
Alcohols, C12-15, ethoxylated		No data available				

Chronic toxicity

Ingredient(s)	Exposure	Endpoint	Value	Species	Method	Exposure	Specific effects and	Remark
	route		(mg/kg bw/d)			time	organs affected	
sodium carbonate			No data					
			available					
sodium			No data					
alkylbenzenesulphonat			available					
e			available					
-			Nie dete					
sodium silicate			No data					
			available					
Limestone			No data					
			available					
Alcohols, C12-15,			No data					
ethoxylated			available					

#### STOT-single exposure

Ingredient(s)	Affected organ(s)
sodium carbonate	No data available
sodium alkylbenzenesulphonate	No data available
sodium silicate	No data available
Limestone	No data available
Alcohols, C12-15, ethoxylated	No data available

#### STOT-repeated exposure

Ingredient(s)	Affected organ(s)
sodium carbonate	No data available
sodium alkylbenzenesulphonate	No data available
sodium silicate	No data available
Limestone	No data available
Alcohols, C12-15, ethoxylated	No data available

#### Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

# Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

#### 11.2 Information on other hazards

**11.2.1 Endocrine disrupting properties** Endocrine disrupting properties - Human data, if available:

#### 11.2.2 Other information

No other relevant information available.

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

#### Aquatic short-term toxicity

Aquatic short-term toxicity - fish					
Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium carbonate	LC 50	300	Lepomis macrochirus	Method not given	96
sodium alkylbenzenesulphonate	LC 50	1.67	Fish	EPA-OPPTS 850.1075	96
sodium silicate	LC 50	260 - 310	Oncorhynchus mykiss	Method not given	96
Limestone	LC 50	> 10000	Oncorhynchus mykiss	Method not given	96
Alcohols, C12-15, ethoxylated	LC 50	> 2	Fish	Method not given OECD 203, static	96

Aquatic short-term toxicity - crustacea					
Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium carbonate	EC 50	200-227	Ceriodaphnia dubia	Method not given	96
sodium alkylbenzenesulphonate	LC 50	2.9	Daphnia	OECD 202 (EU C.2)	48
sodium silicate	EC 50	1700	Daphnia magna Straus	Method not given	48
Limestone	EC 50	> 1000	Daphnia magna Straus	Method not given	48
Alcohols, C12-15, ethoxylated	EC 50	0.23	Daphnia	Method not given OECD 202, static	48

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium carbonate		No data available			
sodium alkylbenzenesulphonate	E b C 50	47.3	Not specified	Non guideline test	72
sodium silicate	EC 50	207	Desmodesmus subspicatus	Method not given	72
Limestone	EC 50	> 200	Desmodesmus subspicatus	Method not given	72
Alcohols, C12-15, ethoxylated	EC 50	0.75	Pseudokirchner iella subcapitata		72

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
sodium carbonate		No data available			
sodium alkylbenzenesulphonate		No data available			
sodium silicate		No data available			
Limestone		No data available			
Alcohols, C12-15, ethoxylated		No data available			

Impact on sewage plants - toxicity to bacteria					
Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
sodium carbonate		No data available			
sodium alkylbenzenesulphonate	EC 50	550	Bacteria	OECD 209	3 hour(s)
sodium silicate		No data available			
Limestone		No data available			
Alcohols, C12-15, ethoxylated		No data available			

# Aquatic long-term toxicity Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sodium carbonate		No data available				
sodium alkylbenzenesulphonate	NOEC	0.23	Oncorhynchus mykiss	Method not given	72 day(s)	
sodium silicate	NOEC	348	Brachydanio rerio	Method not given	96 hour(s)	

Limestone		No data available		
Alcohols, C12-15, ethoxylated	NOEC	> 0.1 - <= 1.0	Method not given	

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sodium carbonate		No data available				
sodium alkylbenzenesulphonate	NOEC	1.41	Daphnia magna	OECD 211		
sodium silicate		No data available				
Limestone		No data available				
Alcohols, C12-15, ethoxylated	NOEC	> 0.1 - <= 1.0		Method not given		

#### Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available				
sodium alkylbenzenesulphonate		No data available				
sodium silicate		No data available				
Limestone		No data available				
Alcohols, C12-15, ethoxylated	EC 50	No data available				

#### **Terrestrial toxicity**

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Terrestrial toxicity - plants, if available:

Terrestrial toxicity - birds, if available:

Terrestrial toxicity - beneficial insects, if available:

Terrestrial toxicity - soil bacteria, if available:

# 12.2 Persistence and degradability

Abiotic degradation Abiotic degradation - photodegradation in air, if available:

#### Abiotic degradation - hydrolysis, if available:

Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
sodium carbonate	No data available		Rapidly hydrolysible	

Abiotic degradation - other processes, if available:

# Biodegradation

Ingredient(s)	Inoculum	Analytical method	DT 50	Method	Evaluation
sodium carbonate					Not applicable (inorganic substance)
sodium alkylbenzenesulphonate	Activated sludge, aerobe	CO <sub>2</sub> production	85 % in 28 day(s)	OECD 301B	Readily biodegradable
sodium silicate					Not applicable (inorganic substance)
Limestone					Not applicable (inorganic substance)
Alcohols, C12-15, ethoxylated				OECD 301B	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

#### 12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)					
Ingredient(s)	Value	Method	Evaluation	Remark	
sodium carbonate	No data available		No bioaccumulation expected		
sodium alkylbenzenesulphonate	3.32	Method not given	Low potential for bioaccumulation		
sodium silicate	No data available		Low potential for bioaccumulation		
Limestone	No data available				
Alcohols, C12-15, ethoxylated	No data available				

#### Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
sodium carbonate	No data available			No bioaccumulation expected	
sodium alkylbenzenesulphonat e	2-1000		Method not given	High potential for bioaccumulation	
sodium silicate	No data available				
Limestone	No data available				
Alcohols, C12-15, ethoxylated	No data available				

#### 12.4 Mobility in soil

Adsorption/Desorption to soil or sediment
---

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
sodium carbonate	No data available				Potential for mobility in soil, soluble in water
sodium alkylbenzenesulphonate	No data available				
sodium silicate	No data available				
Limestone	No data available				
Alcohols, C12-15, ethoxylated	No data available				

# 12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

# 12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environmental effects, if available:

#### 12.7 Other adverse effects

No other adverse effects known.

# SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Waste from residues / unused	The concentrated contents or contaminated packaging should be disposed of by a certified handler
products:	or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging
	material is suitable for energy recovery or recycling in line with local legislation.
European Waste Catalogue:	20 01 29* - detergents containing dangerous substances.

Empty packaging Recommendation:

Dispose of observing national or local regulations.

# SECTION 14: Transport information

Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number: Non-dangerous goods

- 14.2 UN proper shipping name: Non-dangerous goods
- 14.3 Transport hazard class(es): Non-dangerous goods
- 14.4 Packing group: Non-dangerous goods
- 14.5 Environmental hazards: Non-dangerous goods

14.6 Special precautions for user: Non-dangerous goods

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: Non-dangerous goods

# SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulations:

• Regulation (EC) No. 1907/2006 - REACH

• Regulation (EC) No 1272/2008 - CLP

• Regulation (EC) No. 648/2004 - Detergents regulation

• substances identified as having endocrine disrupting properties in accordance with the criteria set out in Delegated Regulation (EU) 2017/2100 or Regulation (EU) 2018/605

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

#### Ingredients according to EC Detergents Regulation 648/2004

anionic surfactants 5 - 15 % non-ionic surfactants, polycarboxylates, phosphonates, oxygen-based bleaching agents, soap perfumes, optical brighteners, enzymes, Linalool, Citronellol, Hexyl Cinnamal, Benzyl Salicylate

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Seveso - Classification: Not classified

#### 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

# **SECTION 16: Other information**

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

Version: 13.1

#### SDS code: MSDS5768

Reason for revision:

Overall design adjusted in accordance with Amendment 2020/878, Annex II of Regulation (EC) No 1907/2006, This data sheet contains changes from the previous version in section(s):, 3, 8, 9, 11, 12, 15, 16

#### **Classification procedure**

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

#### Full text of the H and EUH phrases mentioned in section 3:

- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- H400 Very toxic to aquatic life.
- H412 Harmful to aquatic life with long lasting effects.

#### Abbreviations and acronyms:

- · AISE The international Association for Soaps, Detergents and Maintenance Products
- ATE Acute Toxicity Estimate
- DNEL Derived No Effect Limit
- EC50 effective concentration, 50%
  ERC Environmental release categories
- EUH CLP Specific hazard statement
- LC50 Lethal Concentration, 50% / Median Lethal Concentration
- LCS Life cycle stage
- LD50 Lethal Dose, 50% / Median Lethal dose
- NOAEL No observed adverse effect level
- NOEL No observed effect level
- OECD Organization for Economic Cooperation and Development
- PBT Persistent, Bioaccumulative and Toxic • PNEC - Predicted No Effect Concentration

Revision: 2021-04-04

PROC - Process categories
REACH number - REACH registration number, without supplier specific part
vPvB - very Persistent and very Bioaccumulative

End of Safety Data Sheet